

MAXIMUM PAYMENT WIDTHS—TRENCH "A" (SEWER)				
PAYMENT ITEM	DEPTH OF PIPE (FINISHED GRADE TO 6" BELOW INVERT)			
	0' TO 12'	12' TO 16'	16' TO 20'	OVER 20'
TEMPORARY TRENCH PAVEMENT	5'-0"	7'-0"	7'-0"	8'-0"
PERMANENT TRENCH PAVEMENT	7'-0"	9'-0"	9'-0"	10'-0"
CLASS B ROCK	5'-0"	7'-0"	7'-0"	7'-0"

* PATCH FOR MANHOLES 5' FROM CENTERLINE OR 10'x10' PATCH

MAXIMUM PAYMENT WIDTHS—TRENCH "B" (WATER)				
NOMINAL PIPE DIAMETER (D)	GRAVEL	TEMP. TRENCH PATCH	PERM. TRENCH PATCH	ROCK
24" AND SMALLER	4'-0"	4'-0"	6'-0"	3'-0"
OVER 24"	D + 3'-0"	D + 3'-0"	D + 5'-0"	D + 2'-6"



**DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION
TOWN OF BILLERICA,
MASSACHUSETTS**

**WATER / SEWER / DRAIN
PIPE TRENCH
MIN. / MAX. PAYMENT
WIDTHS**

CREATED BY: DCW/KCS

SCALE: NTS

FILE:

CHECKED BY: GA/JT

DATE: 06/29/2015