


SECTION A-A'



NOTES:

1. CONTRACTORS SHALL EXERCISE APPROPRIATE CARE AND PRECISION IN CONSTRUCTION OF ADA (HANDICAPPED) ACCESSIBLE COMPONENTS FOR THE SITE. THESE COMPONENTS MUST COMPLY WITH THE LATEST ADDITION OF ALL APPLICABLE MASSDOT CONSTRUCTION STANDARDS. THESE INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING:
 - E 107.2.0 – WHEEL CHAIR RAMPS LESS THAN 12'-4" SIDEWALK
 - E 107.6.0 – WHEEL CHAIR RAMP FOR ONE CONTINUOUS DIRECTION OF PEDESTRIAN TRAVEL
 - E 107.6.4 – "T" INTERSECTION WHEEL CHAIR RAMP
 - E 107.6.5 – DETECTABLE WARNING PANEL FOR WHEEL CHAIR RAMPS AND STANDARD RAMP TERMINOLOGY
 - E 107.6.9 – WHEEL CHAIR RAMP WITH LANDSCAPING STRIP
 - E 107.9.0 – CURB TRANSITION LENGTH FOR WHEEL CHAIR RAMPS
2. WARNING PANEL IS TO BE WET SET IN POURED CONCRETE WITH ANCHORS PROVIDED BY MANUFACTURER.
3. COLOR TO BE SELECTED BY OWNER/ENGINEER.
4. CONCRETE AND CURBING TO BE AS SPECIFIED.



**DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION
TOWN OF BILLERICA,
MASSACHUSETTS**

**WHEELCHAIR RAMP
DETECTABLE WARNING
PANEL**

CREATED BY: DCW/KCS

SCALE: NTS

FILE:

CHECKED BY: GA/JT

DATE: 06/29/2015